

18N 4413

Mercedes X-Klasse, Md. 2016

EU-Pedestrian Protection Bar 76mm with cross pipe 51 mm

EU-Personenschutzbügel 76 mm mit Querrohr 51 mm

Protection avant, homologuée CEE, 76 mm, traverse 51 mm




*Compatible with Automatic Cruise Control /Forward Collision Mitigation
Kompatibel mit Abstandsregeltempomat /Auffahrvermeidungs-oder warnsystem
compatible avec radar de régulation de distance/ freinage autonome d'urgence



ASSEMBLY INSTRUCTION

Montageanleitung • Instructions de montage



50 Minuten


article no.:

18N4413 (S) inox










18N5413 black steel

Revision 6: 15.06.2020





mounting kit: 18N9413















article no.:
 18N4413 (S) inox
 18N5413 black steel


Revision 6: 15.06.2020



mounting kit: 18N9413

	M6x25; DIN 933 Zn	2x
	M6x20; DIN 933 Zn	1x
	M8x25; DIN 912 A2	4x
	M8x25; DIN 933 A2	3x
	M12x55; DIN 933 Zn	1x
	M8; DIN 934 Zn	1x
	M10; DIN 934 Zn	2x
	M12; DIN 934 Zn	1x
	Ø 8,4; DIN 125 A2	4x
	Ø 8,4; DIN 125 Zn	1x
	Ø 6,4; DIN 9021 Zn	2x
	SW 13	3x

NOT INCLUDED!
mounting kit: 18N9913

<p>5 18N5076_R 1x</p> 	<p>6 18N5077_L 1x</p> 
---	---

only for RHD
nur für Rechtslenker
seulement pour RHD

article no.:
18N4413 (S) inox
18N5413 black steel

Revision 6: 15.06.2020



